

Publikationsliste Prof. Dr. Martin Staudt

1.	Neumayr L, Gschaidmeier A, Trauzettel-Klosinski S, Pieper T, Kudernatsch M, Hofer W, Bajer C, <u>Staudt M</u> : Gesichtsfelddefekte im Kindesalter: klinische Zeichen, kindgerechte Diagnostik, Adaptation vor und nach Epilepsiechirurgie. Z Epileptol, accepted
2.	Neumayr L, Gschaidmeier A, Trauzettel-Klosinski S, Pieper T, Kudernatsch M, Hofer W, Bajer C, <u>Staudt M</u> : Sacrificing one visual hemifield during pediatric epilepsy surgery: effects on visual search. Eur J Paediatr Neurol, 2020;29:103-107
3.	Lidzba K, Bürki SE, <u>Staudt M</u> : Predicting language outcome after left hemispherotomy – a systematic literature review. Neurology: Clinical Practice, accepted
4.	Bajer C, Hofer W, Pieper T, Kudernatsch M, Holthausen H, <u>Staudt M</u> : Correlates of intellectual development before and after hemispherotomy: an analysis of 75 children and adolescents. Epileptic Disord 2020; 22:571-581
5.	Lamberink HJ, Otte WM, Blümcke I, Braun KPJ; European Epilepsy Brain Bank writing group; study group; European Reference Network EpiCARE: Seizure outcome and use of antiepileptic drugs after epilepsy surgery according to histopathological diagnosis: a retrospective multicentre cohort study. Lancet Neurol 2020 19(9):748-757
6.	Hediger K, Boek F, Sachers J, Blankenburg U, Antonius-Kluger E, Rist B, Schauddek M, <u>Staudt M</u> , Kluger G: Dog-assisted therapy in neurorehabilitation of children with severe neurological impairment: an explorative study. Neuropediatrics, accepted
7.	Meinhold T, Hofer W, Pieper T, Kudernatsch M, <u>Staudt M</u> : Pediatric presurgical language fMRI: a validation study. Clin Neuroradiol 2020 Jan 20. doi: 10.1007/s00062-019-00852-7 [Epub ahead of print]
8.	Neumayr L, Pieper T, Kudernatsch M, Trauzettel-Klosinski S, <u>Staudt M</u> : Uncovering homonymous visual field defects in candidates for epilepsy surgery. Eur J Paediatr Neurol. 2019 Nov 21. pii: S1090-3798(19)30412-X. doi: 10.1016/j.ejpn.2019.11.003. [Epub ahead of print] - Dieter-Janz-Preis der Deutschen Gesellschaft für Epileptologie DGfE 2020 -
9.	Fiori S, <u>Staudt M</u> , Boyd RN, Guzzetta A. Neural plasticity after congenital brain lesions. Neural Plast. 2019 May 2;2019:9154282. doi: 10.1155/2019/9154282 (Editorial).
10.	Pringsheim M, Mitter D, <u>Staudt M</u> *, Brockmann K*, and the FOXG1 study group: Structural brain anomalies in patients with FOXG1 syndrome and in Foxg1+/- mice. Ann Clin Transl Neurol 2019; 3;6(4):655-668
11.	<u>Staudt M</u> . Abstracts of the 45th Annual Meeting of the Society for Neuropediatrics. Neuropediatrics. 2019 Sep;50(S 02):e1. doi: 10.1055/s-0039-1697637
12.	Kluger G, Kirsch A, Hessenauer M, Aust H, Berweck S, Sperl W, Betzler C, von Stülpnagel-Steinbeis C, <u>Staudt M</u> : Unresponsive wakefulness syndrome in children after near-drowning: Long-term outcome and impact on the families. Neuropediatrics 2019 50: 71-19
13.	Adler C, Hessenauer M, Lipp J, Kunze S, Geigenberger C, Hörning A, Schauddeck M, Berweck S, <u>Staudt M</u> : Learning to cope with mirror movements in unilateral cerebral palsy – brief report. Dev Neurorehabil. 2019 Feb;22(2):141-146.
14.	Hartlieb T, Winkler P, Coras R, Pieper T, Holthausen H, Blümcke I, <u>Staudt M</u> , Kudernatsch M: Age-related MR-characteristics in mild malformation of cortical development with oligodendroglial hyperplasia and epilepsy (MOGHE). Epilepsy Behav 2018 Jul 27. pii: S1525-5050(18)30372-X. doi: 10.1016/j.yebeh.2018.07.009

15.	Ivanov I, Kuester S, MacKeben M, Krumm A, Haaga M, <u>Staudt M</u> , Cordey A, Gehrlich C, Martus P, Trauzettel-Klosinski S: Effects of visual search training in children with hemianopia. PLoS One 2018; 18; 13(7)
16.	Bierhals T, Korenke GC, Baethmann M, Marin LL, <u>Staudt M</u> , Kutsche K: Novel DCC mutations in congenital mirror movements and evaluation of disease-associated missense variants. Eur J Med Gen 2018; 61(6):329-334
17.	Haaga M, Trauzettel-Klosinski S, Krumm A, Ivanov I, Küster S, Cordey A, Gehrlich C, <u>Staudt M</u> : Homonymous visual field defects in children and adolescents: Etiologies, topographies and everyday problems. Neuropediatrics 2018;49(2):142-149
18.	Surges R, Alber M, Bast T, Baier H, Bien C, Borggräfe I, Bösebeck Frank, Brandl U, Hamer H, Hethy Sven, Holtkamp M, Jacobs J, Kellinghaus C, Kerling F, Knake S, Kunze A, Kurlemann G, Laufs H, Lerche H, Mayer T, Möddel G, Neubauer B, Noachtar S, Panzer A, Podewils F, Polster T, Rona S, Rosenow F, Schmitz B, Schulze-Bonhage A, Spiczak S, <u>Staudt M</u> , Steinhoff B, Stephani U, Stodieck S, Straub H-B, Strzelczyk A, Wellmer J, Elger, C: Aufgaben und Struktur moderner Epilepsiezentren in Deutschland. Aktuelle Neurologie 2017, DOI: 10.1055/s-0043-115381
19.	Lidzba K, Küpper H, Kluger G, <u>Staudt M</u> : The time window for successful right-hemispheric language reorganization in children. Eur J Paed Neurol 2017, 21:715-721
20.	Krägeloh-Mann I, Lidzba K, Pavlova M, Wilke M, <u>Staudt M</u> : Plasticity during early brain development is determined by ontogenetic potential. Neuropediatrics 2017;48:66-71 [Review]
21.	Dittrich S, Kluger G, Herberhold T, Hess K, Neuhann T, Berweck S, <u>Staudt M</u> : Dopamin-responsive Dystonie – wichtige Differentialdiagnose der Cerebralparese. Neuropädiatrie in Klinik und Praxis, 2017
22.	Lidzba K, de Haan B, Wilke M, Krägeloh-Mann I, <u>Staudt M</u> : Lesion characteristics driving right-hemispheric language reorganization in congenital left-hemispheric brain damage. Brain and Language, 173 (2017) 1-9
23.	Breitweg I, Steinbeis C, Pieper T, Lidzba K, Holthausen H, <u>Staudt M*</u> , Kluger G*: Early seizures predict the development of epilepsy in children and adolescents with stroke. Eur J Paed Neurol 2017; 2: 465-467
24.	<u>Staudt M</u> : Should mirror movements modify therapeutic strategies for unilateral spastic cerebral palsy? Dev Med Child Neurol [Comment], 2017; 59: 114-115
25.	Küpper H, Kudernatsch M, Pieper T, Groeschel S, Tournier JD, Raffelt D, Winkler P, Holthausen H, <u>Staudt M</u> : Predicting hand function after hemidisconnection: a study on 102 patients. Brain 2016, 139: 2456-2468
26.	<u>Staudt M</u> , Gordon AM: Combining rTMS and CIMT: a “one-size-fits-all” treatment for congenital hemiparesis? Neurology 2016; 86: 1652–1654 (editorial)
27.	<u>Staudt M</u> , Berweck S: Kommentar I zum Fall: „Kleinkind nach schwerer Verletzung des Zentralnervensystems: Rehabilitation oder Behandlungsabbruch?“. Ethik in der Medizin, 2016, DOI 10.1007/s00481-015-0382-4
28.	von Stülpnagel C, Winkler P, Koch J, Zeches-Kansy C, Schöttler-Glas A, Wolf G, Niller HH, <u>Staudt M</u> , Kluger G, Rostasy K: MR imaging and clinical findings of eleven children with tick-borne encephalitis- and review of the literature. Eur J Paediatr Neurol. 2015 Nov 9. pii: S1090-3798(15)00182-8. doi: 10.1016/j.ejpn.2015.10.008
29.	Klingels K, Jaspers E, <u>Staudt M</u> , Guzzetta A, Mailleux L, Ortibus E, Feys H: Do mirror movements relate to hand function and timing of the brain lesion in children with unilateral cerebral palsy? Dev Med Child Neurol. 2015 Dec 8. [Epub ahead of print]

30.	Máté A, Lidzba K, Hauser TK, <u>Staudt M</u> , Wilke M: A "one size fits all" approach to language fMRI: Increasing specificity and applicability by adding a self-paced component. <i>Exp Brain Res</i> . 2015 Oct 29.
31.	Fiori S, <u>Staudt M</u> , Pannek K, Borghetti D, Biagi L, Scelfo D, Rose SE, Tosetti M, Cioni G, Guzzetta A: Is one motor cortex enough for two hands? <i>Dev Med Child Neurol</i> 2015, 57, 10: 977–980
32.	Adler C, Berweck S, Lidzba K, Becher T, <u>Staudt M</u> : Mirror movements in unilateral spastic cerebral palsy: Specific negative impact on bimanual activities of daily living. <i>Eur J Paed Neurol</i> 2015, 19(5):504-509
33.	Biró A, Stephani U, Tarallo T, Bast T, Schlachter K, Flegler M, Kurlemann G, Fiedler B, Leiz S, Nikanorova M, Wolff M, Müller A, Selch C, <u>Staudt M</u> , Kluger G: Effectiveness and tolerability of perampanel in children and adolescents with refractory epilepsies – first experiences. <i>Neuropediatrics</i> 2015;46(2):110-6.
34.	Stülpnagel C, Funke C, Haberl C, Hörtnagel K, Jüngling J, Weber YG, <u>Staudt M</u> , Kluger G: SYNGAP1 mutation in focal and generalized epilepsy: a literature overview and a case report with special aspects of the EEG. <i>Neuropediatrics</i> 2015 Aug;46(4):287-91
35.	<u>Staudt M</u> . <i>Neuropediatrics and the 40th annual meeting of the society for neuropediatrics</i> . <i>Neuropediatrics</i> 2014 Aug;45(4):205 [Editorial]
36.	Sprinz A, Baethmann M, Heinen F, <u>Staudt M</u> , Kieslich M. Syllabus Neuropädiatrie 2.0 - Strukturen, Qualität und Perspektiven der ambulanten, stationären und rehabilitativen Versorgung – Teil 3. <i>Neuropediatrics</i> . 2014; 45: 266-272
37.	Beer S, Hartlieb T, Müller A, Granel M, <u>Staudt M</u> : Aspiration in Children and Adolescents with Neurogenic Dysphagia: Comparison of Clinical Judgment and Fiberoptic Endoscopic Evaluation of Swallowing. <i>Neuropediatrics</i> 2014; 45: 402-5
38.	Sprinz A, Baethmann M, Heinen F, <u>Staudt M</u> , Kieslich M. Syllabus Neuropädiatrie 2.0 - Strukturen, Qualität und Perspektiven der ambulanten, stationären und rehabilitativen Versorgung – Teil 2. <i>Neuropediatrics</i> . 2014 Jun;45(3):201-4.
39.	Juenger H, Koerte IK, Muehlmann M, Mayinger M, Mall V, Krägeloh-Mann I, Shenton ME, Berweck S, Heinen F*, <u>Staudt M</u> *: Microstructure of transcallosal motor fibers reflects type of cortical (re-)organization in congenital hemiparesis. <i>Eur J Paediatr Neurol</i> 18 (2014) 691-697
40.	Sprinz A, Baethmann M, Heinen F, <u>Staudt M</u> , Kieslich M. Syllabus Neuropädiatrie 2.0 - Strukturen, Qualität und Perspektiven der ambulanten, stationären und rehabilitativen Versorgung – Teil 1. <i>Neuropediatrics</i> . 2014 Jun;45(3):133-136
41.	Adler C, Rauchenzauner M, <u>Staudt M</u> , Berweck S: Activities of daily living in children with hemiparesis: Influence of cognitive abilities and motor competence on quality of performance. <i>Neuropediatrics</i> 2014; 45(6):341-5.
42.	<u>Staudt M</u> , Berweck S: Is constraint-induced movement therapy harmful in unilateral spastic cerebral palsy with ipsilateral cortico-spinal projections? <i>Dev Med Child Neurol</i> , 2014; 56(3) [comment]
43.	Juenger H, Kuhnke N, Braun C, Ummenhofer F, Wilke M, Walther M, Koerte I, Delvendahl I, Berweck S, Mall V, <u>Staudt M</u> : Two types of exercise-induced neuroplasticity in congenital hemiparesis: a TMS, fMRI and MEG study. <i>Dev Med Child Neurol</i> 2013, 55(10): 941-951
44.	Pascoal T, Paglioli E, Palmi A, Menezes R, <u>Staudt M</u> : Immediate improvement of motor function after epilepsy surgery in congenital hemiparesis. <i>Epilepsia</i> . 2013; 54(8): e109-111

45.	Kluger G, Koehler U, Neuhann TM, Pieper T, <u>Staudt M</u> , von Stülpnagel C: Generalized epilepsy in two patients with 5p duplication. <i>Neuropediatrics</i> 2013 ;44(4): 225-229
46.	van der Kolk N, Boshuisen K, van Empelen R, Koudijs S, <u>Staudt M</u> , van Rijen P, van Nieuwenhuizen O, Braun K: Etiology-specific differences in motor function after hemispherectomy. <i>Epilepsy Res</i> 2013 Feb;103(2-3):221-30
47.	Zsoter A, <u>Staudt M</u> , Wilke M: Identification of successful clinical fMRI sessions in children: an objective approach. <i>Neuropediatrics</i> 2012; 43: 249-57
48.	Zsoter A, Pieper T, Kudernatsch M, Wilke M, <u>Staudt M</u> : Predicting hand function after hemispherotomy: TMS versus fMRI in hemispheric polymicrogyria. <i>Epilepsia</i> 2012,53(6):e98-e101
49.	Lotte J, Haberland E, Neubauer B, <u>Staudt M</u> , Kluger G: Bromide in patients with SCN1A-mutations manifesting as Dravet syndrome and its borderline variants. <i>Neuropediatrics</i> 2012 Feb;43(1):17-21
50.	Von Stülpnagel C, Coppola G, Striano P, Müller A, <u>Staudt M</u> , Kluger G: First long-term experience with the orphan drug rufinamide in children with myoclonic astatic epilepsy (Doose syndrome). <i>Eur J Paediatr Neurol.</i> 2012 Sep;16(5):459-63
51.	Papadelis C, Leonardelli E, <u>Staudt M</u> , Braun C. Can magnetoencephalography track the afferent information flow along white matter thalamo-cortical fibers? <i>Neuroimage</i> 2012 Apr 2;60(2):1092-105
52.	Dinomais M, Gröschel S, Wilke M, <u>Staudt M</u> , Krägeloh-Mann I: Relationship between functional connectivity and sensory impairment: red flag, or red herring? <i>Hum Brain Map</i> 2012 Mar;33(3):628-38
53.	Lidzba K, <u>Staudt M</u> , Zieske F, Schwilling E, Ackermann H: Prestroke/poststroke fMRI in aphasia: Perilesional hemodynamic activation and language recovery. <i>Neurology</i> 2012;78: 289-91
54.	Zsoter A, Berweck S, Kluger G, <u>Staudt M</u> : Neurologische Frührehabilitation bei Kindern und Jugendlichen. <i>Monatsschr Kinderheilk</i> , (2011) 159: 634-641 [on request by editor]
55.	Müller A, Boor R, Coppola G, Striano P, Dahlin M, von Stülpnagel C, <u>Staudt M</u> , Kluger G: Low long-term efficacy and tolerability of add-on Rufinamide in patients with Dravet syndrome. <i>Epilepsy & Behavior</i> 2011; 21: 282-284
56.	Von Stülpnagel C, Leichsenring M, Müller A, <u>Staudt M</u> , Kluger G: Refractory Focal Epilepsy in a Patient with Methylmalonic Aciduria: Case Report on Positive and Long-lasting Effect of Rufinamide. <i>Neuropediatrics</i> , 2011; 42: 71-73
57.	Juenger H, DeHaan B, Krägeloh-Mann I, <u>Staudt M</u> , Karnath HO: Early determination of somatosensory cortex in the human brain. <i>Cerebr Cortex</i> 2011;21(8):1827-31 – <i>Desitin-Jungforscherpreis der Deutschen Gesellschaft für Neuropädiatrie 2011</i> –
58.	Wilke M, Pieper T, Lindner K, Dushe T, <u>Staudt M</u> , Grodd W, Holthausen H, Krägeloh-Mann I: Clinical functional MRI of the language domain in children with epilepsy. <i>Hum Brain Mapp</i> 32:1882–1893 (2011)
59.	<u>Staudt M</u> : Reorganization after pre- and perinatal brain lesions. <i>Journal of Anatomy</i> ; Special Edition: Development of the Neocortex. 217(4):469-474 (2010) [invited review]
60.	<u>Staudt M</u> : Brain plasticity following early life brain injury: Insights from neuroimaging. <i>Seminars in Perinatology</i> , Special Issue: Recent advances in neuroimaging of the newborn. 34:87-92 (2010) [invited review]

61.	<u>Staudt M</u> : The role of transcranial magnetic stimulation in the characterization of congenital hemiparesis. Dev Med Child Neurol 2010; 52(2):113-4. [Comment]
62.	Belardinelli P, Ciancetta L, <u>Staudt M</u> , Pizzella V, Londei A, Birbaumer N, Romani GL, Braun C. Motor control in young patients with unilateral brain lesions: an MEG study. Cogn Process. 2009 Sep;10 Suppl 2:S185-8.
63.	Juenger H, Ressel V, Braun C, Ernemann U, Schuhmann M, Krägeloh-Mann I, <u>Staudt M</u> : Misleading fMRI mapping of the cortical hand representation in a 4-year-old boy with arteriovenous malformation of the central region. J Neurosurg Pediatr. 2009; 4(4):333-8
64.	Juenger H, Kumar V, Grodd W, <u>Staudt M</u> , Krägeloh-Mann I: Preserved crossed corticospinal tract and hand function despite extensive brain maldevelopment. Pediatr Neurol 2009;41(5):388-9
65.	Wilke M, <u>Staudt M</u> : Does damage to somatosensory circuits underlie motor impairment in cerebral palsy? Dev Med Child Neurol 2009; 51: 686-687 [Comment]
66.	Walther M, Juenger H, Kuhnke N, Wilke M, Brodbeck V, Berweck S, <u>Staudt M</u> , Mall V: Motor cortex plasticity in ischemic perinatal stroke: a transcranial magnetic stimulation and functional MRI study. Pediatr Neurol 2009;41:171-178
67.	Lidzba K, Wilke M, <u>Staudt M</u> , Krägeloh-Mann I: Early plasticity versus early vulnerability: the problem of heterogeneous lesion types. Brain 2009;132(Pt 10):e128 [letter]
68.	Wilke M, <u>Staudt M</u> , Juenger H, Grodd W, Braun C, Krägeloh-Mann I: Somatosensory system in two types of motor reorganization in congenital hemiparesis: topography & function. Hum Brain Map, 2009; 30: 776-788
69.	Lotze M, Sauseng P, <u>Staudt M</u> : Functional relevance of ipsilateral motor activation in congenital hemiparesis as tested by fMRI-navigated TMS. Exp Neurol 2009;217:440-3
70.	Kuchař L, Ledvinová J, Hřebíček M, Myšková H, Dvořáková L, Berná L, Chrastina P, Asfaw B, Elleder M, Petermüller M, Mayrhofer H, <u>Staudt M</u> , Krägeloh-Mann I, Paton BC, Harzer K: Prosaposin deficiency and saposin B deficiency (activator-deficient metachromatic leukodystrophy); report on two patients detected by analysis of urinary sphingolipids and carrying novel PSAP gene mutations. Am J Med Gen 2009;149: 613-21
71.	Juenger H, Grodd W, Krägeloh-Mann I, <u>Staudt M</u> : (Re-)organization of basal ganglia in congenital hemiparesis with ipsilateral cortico-spinal projections. Neuropediatrics 2008;39: 252-8
72.	Lidzba K, <u>Staudt M</u> : Development and (re)organization of language after early brain lesions: Capacities and limitation of early brain plasticity. Brain Lang. 2008; 106:165-6 [Editorial]
73.	Kuhnke N, Juenger H, Walther M, Berweck S, Mall V, <u>Staudt M</u> : Do individuals with congenital hemiparesis and ipsilateral cortico-spinal projections to the paretic hand respond differently to Constraint-Induced Movement Therapy? Dev Med Child Neurol, 2008; 50:898-903
74.	<u>Staudt M</u> , Ticini LF, Grodd W, Krägeloh-Mann I: Functional topography of early periventricular brain lesions in relation to cytoarchitectonic probabilistic maps. Brain Lang 2008; 106:177-83.
75.	<u>Staudt M</u> : (Re-)Organisation des sich entwickelnden Gehirns nach periventrikulären Läsionen. Neuropaediatric 2008;7: 16-21 [on request by editor]
76.	Lidzba K, Wilke M, <u>Staudt M</u> , Krägeloh-Mann I, Grodd W: Reorganization of the cerebro-cerebellar network of language production in patients with congenital left-hemispheric brain lesions. Brain Lang 2008 Sep;106(3):204-10

77.	Berweck S, Walther M, Brodbeck V, Wagner N, Koerte I, Henschel V, Juenger H, <u>Staudt M</u> *, Mall V*: Abnormal motor cortex excitability in congenital stroke. <i>Pediatr Research</i> , 2008; 63: 84-88.
78.	Juenger H, Linder-Lucht M, Walther M, Berweck S, Mall V, <u>Staudt M</u> : Cortical neuromodulation by Constraint-Induced Movement Therapy in congenital hemiparesis – an fMRI study. <i>Neuropediatrics</i> 2007;38:130-136
79.	<u>Staudt M</u> : Sensomotorische Reorganisation bei kongenitaler Hemiparese. <i>Kinderärztliche Praxis</i> 78, 266-270 (2007) Nr. 5 [on request by editor]
80.	<u>Staudt M</u> : (Re-)Organisation sensomotorischer und sprachlicher Funktionen nach periventriculärer Läsionen. <i>J. Neurol. Neurochir. Psychiatr.</i> 2007; 8 (4): 7-9 [on request by editor]
81.	<u>Staudt M</u> : (Re-)organization of the developing human brain following periventricular white matter lesions. <i>Neurosci Biobehav R</i> 31 (2007) 1150–1156
82.	Belardinelli P, Ciancetta L, <u>Staudt M</u> , Pizzella V, Londei A, Birbaumer N, Romani GL, Braun C: Cerebro-muscular and cerebro-cerebral coherence in patients with pre- and perinatally acquired unilateral periventricular brain lesions. <i>Neuroimage</i> 37 (2007) 1301–1314.
83.	<u>Staudt M</u> : Reorganization of the developing human brain after early lesions. <i>Dev Med Child Neurol</i> 2007; 49(8): 564 [Comment]
84.	Braun C, <u>Staudt M</u> , Schmitt C, Preissl H, Birbaumer N, Gerloff C: Crossed cortico-spinal motor control after capsular stroke. <i>Eur J Neurosci</i> 25, 2935–2945, 2007
85.	<u>Staudt M</u> : Untersuchungen zur Plastizität des kindlichen Gehirns: Methodische Grundlagen. <i>Monatsschr Kinderheilk</i> 155: 518-522, 2007 [on request by editor]
86.	Guzzetta A, <u>Staudt M</u> , Petacchi E, Ehlers J, Erb M, Wilke M, Krägeloh-Mann I, Cioni G: Brain representation of active and passive hand movements in children. <i>Pediatric Research</i> 61, 4 (2007): 485-490
87.	<u>Staudt M</u> , Braun C, Gerloff C, Erb M, Grodd W, Krägeloh-Mann I: Developing somatosensory projections bypass periventricular brain lesions. <i>Neurology</i> 2006;67: 522-525
88.	Lidzba K, <u>Staudt M</u> , Wilke M, Grodd W, Krägeloh-Mann I. Lesion-induced right hemispheric language and organization of non-verbal functions. <i>Neuroreport</i> 17, 929-933 (2006)
89.	Wilke M, Lidzba K, <u>Staudt M</u> , Buchenau K, Grodd W, Krägeloh-Mann I: An fMRI task battery for assessing hemispheric language dominance in children. <i>NeuroImage</i> 32,400-410 (2006)
90.	<u>Staudt M</u> , Erb M, Braun C, Gerloff C, Grodd G, Krägeloh-Mann I: Extensive perilesional connectivity in congenital hemiparesis. <i>Neurology</i> 66: 771 (2006)
91.	Gerloff C, Braun C, <u>Staudt M</u> , Li Hegner Y, Dichgans J, Krägeloh-Mann I: Coherent corticomuscular oscillations originate from primary motor cortex: evidence from patients with early brain lesions. <i>Hum Brain Mapp</i> 2006; 27: 789-798.
92.	Lidzba K, <u>Staudt M</u> , Wilke M, Krägeloh-Mann I: Visuospatial deficits in patients with early left-hemispheric lesions and functional reorganization of language: Consequence of lesion or reorganization? <i>Neuropsychologia</i> 44 (2006): 1088-1094
93.	Wilke M, Lidzba K, <u>Staudt M</u> , Buchenau K, Grodd W, Krägeloh-Mann I: Comprehensive language mapping in children, using fMRI: what's missing, counts. <i>Neuroreport</i> 16, 91 919 (2005)

94.	<u>Staudt M</u> , Krägeloh-Mann I, Grodd W: Ipsilateral cortico-spinal pathways in congenital hemiparesis on routine MRI. <i>Pediatr Neurol</i> 32/1 (2005): 37-39
95.	Pavlova M, Sokolov A, <u>Staudt M</u> , Marconato F, Birbaumer N, Krägeloh-Mann I: Recruitment of periventricular parietal regions in processing cluttered point-light biological motion. <i>Cerebral Cortex</i> 15: 594-601 (2005)
96.	<u>Staudt M</u> , Gerloff C, Grodd W, Holthausen H, Niemann G, Krägeloh-Mann : Reorganization in congenital hemiparesis acquired at different gestational ages. <i>Ann Neurol</i> , 56 (2004): 854-863 – <i>Gayle G. Arnold Award for Excellence in the Care of Children with Cerebral Palsy der American Academy for Cerebral Palsy and Developmental Medicine AACPDM</i> –
97.	<u>Staudt M</u> , Krägeloh-Mann I, Holthausen H, Gerloff C, Grodd W: Searching for motor functions in dysgenic cortex: a clinical TMS and fMRI study. <i>J Neurosurg Pediatrics</i> , 101 (2004): 69-77
98.	<u>Staudt M</u> , Pavlova M, Böhm S, Grodd W, Krägeloh-Mann I: Pyramidal tract damage correlates with motor dysfunction in bilateral periventricular leukomalacia. <i>Neuropediatrics</i> 34 (2003): 182-188
99.	<u>Staudt M</u> : Nicht-invasives Mapping motorischer Kortexareale mittels transkranieller Magnetstimulation und funktioneller Magnetresonanztomographie bei neuropädiatrischen Fragestellungen. <i>Neuropädiatrie</i> 2 (2003): 51-56 [on request by editor]
100.	Pavlova M, <u>Staudt M</u> , Sokolov A, Birbaumer N, Krägeloh-Mann I: Perception and production of biological motion in patients with early periventricular lesions. <i>Brain</i> 126 (2003): 692-701
101.	<u>Staudt M</u> , Grodd W, Gerloff C, Erb M, Stitz J, Krägeloh-Mann I: Two types of ipsilateral reorganization in congenital hemiparesis: a TMS and fMRI study. <i>Brain</i> 125(2002):2222-37 – <i>Desitin-Jungforscherpreis der Deutschen Gesellschaft für Neuropädiatrie 2003</i> –
102.	<u>Staudt M</u> , Lidzba K, Grodd W, Wildgruber D, Erb M, Krägeloh-Mann I: Right hemispheric organization of language following early left-sided brain lesions: Functional MRI topography. <i>NeuroImage</i> 16 (2002): 954-967
103.	Krägeloh-Mann I, Helber A, Mader I, <u>Staudt M</u> , Wolff M, Groenendaal F, DeVries L: Bilateral lesions of thalamus and basal ganglia: origin and outcome. <i>Dev Med Child Neurol</i> 44 (2002): 477-84
104.	<u>Staudt M</u> , Pieper T, Grodd W, Winkler P, Holthausen H, Krägeloh-Mann I: Functional MRI in a 6-year-old boy with unilateral cortical malformation: concordant representation of both hands in the unaffected hemisphere. <i>Neuropediatrics</i> 32 (2001): 159-161
105.	<u>Staudt M</u> , Grodd W, Niemann G, Wildgruber D, Erb M, Krägeloh-Mann I: Early left periventricular brain lesions induce right hemispheric organization of speech. <i>Neurology</i> 57 (2001): 122-125 – <i>Alois-Kornmüller-Preis der Deutschen Gesellschaft für Klinische Neurophysiologie</i> –
106.	<u>Staudt M</u> , Niemann G, Grodd W, Krägeloh-Mann I: The pyramidal tract in congenital hemiparesis – relationship between morphology and function in periventricular lesions. <i>Neuropediatrics</i> 31 (2000): 257-264
107.	<u>Staudt M</u> , Krägeloh-Mann I, Grodd W: Die normale Myelinisierung des kindlichen Gehirns in der MRT – eine Metaanalyse. <i>Fortschr Röntgenstr</i> 172 (2000): 802-811
108.	Kitzlinger R, Schropp C, Staudt F, Braitinger S, Bise K, <u>Staudt M</u> : MR-Tomographie bei Kindern mit kongenitaler Hemiplegie. <i>Monatsschr Kinderheilk</i> 148 (2000): 357-361

109.	Hager A, <u>Staudt M</u> , Klare B, von Einsiedel HG, Krägeloh-Mann I: Hemolytic-uremic syndrome with involvement of basal ganglia and cerebellum. <i>Neuropediatrics</i> 30 (1999): 210-213
110.	Engelhardt H, <u>Staudt M</u> , Häßler A, Holzbach U, Freisinger P, Krägeloh-Mann I: Carbohydrate-deficient glycoprotein syndrome type 2. <i>J Inherit Metab Dis</i> 22 (1999): 192-193
111.	<u>Staudt M</u> , Wermuth B, Freisinger P, Häßler A, Pontz BF: Symptomatic ornithine carbamoyltransferase deficiency (point mutation H202P) with normal in vitro activity. <i>J Inherit Metab Dis</i> 21 (1998): 71-72
112.	<u>Staudt M</u> , Schropp C, Staudt F, Obletter N, Bise K, Breit A: Die Beurteilung der Myelinisierung des kindlichen Gehirns in der Magnetresonanztomographie. <i>Pädiatrische Praxis</i> 48 (1994/1995): 347-361 [on request by editor]
113.	<u>Staudt M</u> , Schropp C, Staudt F, Obletter N, Bise K, Breit A, Weinmann HM: MR assessment of myelination – an age standardization. <i>Pediatr Radiol</i> 24 (1994): 122-127
114.	Schropp C, <u>Staudt M</u> , Staudt F, Bise K, Breit A, Weinmann HM: Delayed myelination in children with West-syndrome: an MRI study. <i>Neuropediatrics</i> 25 (1994): 116-120
115.	<u>Staudt M</u> , Schropp C, Staudt F, Obletter N, Bise K, Breit A: Myelination of the brain in MRI: a staging system. <i>Pediatr Radiol</i> 23 (1993): 169-176

Buchkapitel

1. Matsumoto R, Dionisio S, Staudt M, Bulacio J, Nair D: Functional Mapping with Neurophysiological Techniques. In: *Wyllie's Treatment of Epilepsy*, 7th Edition, Lippincott & Williams, in print.
2. Staudt M: „Transkranielle Magnetstimulation“ und „Funktionelle Magnetresonanztomographie“. In: Aksu (Hrsg.): *Neuropädiatrie*. 5. Aufl., Unimed-Verlag, in print
3. Staudt M: Bildgebende Diagnostik – Indikation und Impact bei Kindern mit Zerebralparese. In: Baumann (Ed.): *Zerebralparese*. Springer Verlag, 2018, 149-150
4. Staudt M. TMS Mapping of Motor Development After Perinatal Brain Injury. In: Kirton A, Gilbert DL, eds., *Pediatric Brain Stimulation: Mapping and Modulating the Developing Brain*. San Diego: Academic Press, 2016: 183-194
5. Pieper T, Staudt M: EEG in der pädiatrischen Epilepsiechirurgie. In: Staudt F (Hrsg.): *Kinder-EEG* (2014). Thieme: 258-281
6. Staudt M, Bulacio JC, Nair DR: Mapping Motor Function. In: *Wyllie's Treatment of Epilepsy*, 6th Edition (2015)., 875-881
7. Staudt M: Imaging cerebral palsy. In: Dulac O, Sarnat H, Lassonde M: *Handbook of Clinical Neurology* 2013
8. Staudt M: Neuroplastizität des sich entwickelnden Gehirns. In: Karnath HO, Thier P: *Kognitive Neurowissenschaften*. 3. Aufl. Springer. 759-764
9. Loddenkemper T, Staudt M: Eloquent Cortex and the Role of Plasticity. In: *Wyllie's Treatment of Epilepsy*, 5th Edition. Lippincott & Williams 887-898
10. Staudt M: Multimodal Brain Mapping in Patients with Early Brain Lesions. In: Ulmer, Jansen (Eds.): *fMRI - Basics and Clinical Applications*, Springer-Verlag, Berlin 149-154.
11. Krägeloh-Mann I, Staudt M: Neurological Classification and Neuroradiology of Cerebral Palsy. In: Eliasson, Burtner (Eds.): *Improving Hand Function in Children with Cerebral Palsy: theory, evidence and intervention*. 1. Edition, 2008. MacKeith Press, London; 61-78
12. Staudt M, Grodd G: Normale Entwicklung des kindlichen Gehirns. In: Reiser, Semmler (Hrsg.): *Magnetresonanztomographie*. 3. Aufl., 2000. Springer-Verlag, Berlin; 151-169
13. Staudt M: „Transkranielle Magnetstimulation“ und „Funktionelle Magnetresonanztomographie“. In: Aksu (Hrsg.): *Neuropädiatrie*. 2. Aufl., 2004. Unimed-Verlag, 411-413 and 441-444