

Publikationen

Assessment of 18F-PI-2620 as a Biomarker in Progressive Supranuclear Palsy. Brendel M, Barthel H, van Eimeren T, Marek K, Beyer L, Song M, Palleis C, Gehmeyr M, Fietzek U, Respondek G, Sauerbeck J, Nitschmann A, Zach C, Hammes J, Barbe MT, Onur O, Jessen F, Saur D, Schroeter ML, Rumpf JJ, Rullmann M, Schildan A, Patt M, Neumaier B, Barret O, Madonia J, Russell DS, Stephens A, Roeber S, Herms J, Bötzel K, Classen J, Bartenstein P, Villemagne V, Levin J, Höglinger GU, Drzezga A, Seibyl J, Sabri O. JAMA Neurol. 2020 Nov 1;77(11):1408-1419. doi: 10.1001/jamaneurol.2020.2526. PMID: 33165511

Effectiveness and safety of opicapone in Parkinson's disease patients with motor fluctuations: the OPTIPARK open-label study. Reichmann H, Lees A, Rocha JF, Magalhães D, Soares-da-Silva P; OPTIPARK investigators. Transl Neurodegener. 2020 Mar 4;9(1):9. doi: 10.1186/s40035-020-00187-1. PMID: 32345378 Clinical Trial.

The Minimal Clinically Relevant Change of the FOG Score. Fietzek UM, Schulz SJ, Ziegler K, Ceballos-Baumann AO. J Parkinsons Dis. 2020;10(1):325-332. doi: 10.3233/JPD-191783. PMID: 31868684 Clinical Trial.

Gait festination in parkinsonism: introduction of two phenotypes. Nonnekes J, Giladi N, Guha A, Fietzek UM, Bloem BR, Růžička E. J Neurol. 2019 Feb;266(2):426-430. doi: 10.1007/s00415-018-9146-7. Epub 2018 Dec 7. PMID: 30536108 Review.

High-Resolution Motor State Detection in Parkinson's Disease Using Convolutional Neural Networks. Pfister FMJ, Um TT, Pichler DC, Goschenhofer J, Abedinpour K, Lang M, Endo S, Ceballos-Baumann AO, Hirche S, Bischl B, Kulić D, Fietzek UM. Sci Rep. 2020 Apr 3;10(1):5860. doi: 10.1038/s41598-020-61789-3. PMID: 32246097

Interrelation between Sarcopenia and the Number of Motor Neurons in Patients with Parkinsonian Syndromes. Krenovsky JP, Bötzel K, Ceballos-Baumann A, Fietzek UM, Schoser B, Maetzler W, Ferrari U, Drey M. Gerontology. 2020;66(4):409-415. doi: 10.1159/000505590. Epub 2020 Feb 21. PMID: 32088717

Relevance of sonography for botulinum toxin treatment of cervical dystonia: an expert statement. Schramm A, Bäumer T, Fietzek U, Heitmann S, Walter U, Jost WH. J Neural Transm (Vienna). 2015 Oct;122(10):1457-63. doi: 10.1007/s00702-014-1356-2. Epub 2014 Dec 30. PMID: 25547861 Free PMC article. Review.

Body height loss characterizes camptocormia in Parkinson's disease. Fietzek UM, Schroeteler FE, Hahn L, Ziegler K, Ceballos-Baumann AO. J Neural Transm (Vienna). 2018 Oct;125(10):1473-1480. doi: 10.1007/s00702-018-1912-2. Epub 2018 Aug 7. PMID: 30083816

A Multi-Layer Gaussian Process for Motor Symptom Estimation in People With Parkinson's Disease. Lang M, Pfister FMJ, Frohner J, Abedinpour K, Pichler D, Fietzek U, Um TT, Kulic D, Endo S, Hirche S. IEEE Trans Biomed Eng. 2019 Nov;66(11):3038-3049. doi: 10.1109/TBME.2019.2900002. Epub 2019 Feb 18. PMID: 30794163

[Botulinum toxin--the all-rounder in medicine]. Schröder AS, Fietzek UM, Pavicic T, Stehr M, Baumann AC, Ruzicka T, Heinen F. MMW Fortschr Med. 2011 Jan 27;153(4):33-9; quiz 40. doi: 10.1007/BF03367697. PMID: 22165615 German. No abstract available.

Freezing of gait as a complication of multiple sclerosis. Fietzek UM, Paulig M, Fischer P, Ceballos-Baumann AO, Neuhaus O. *Parkinsonism Relat Disord.* 2018 Sep;54:121-122. doi: 10.1016/j.parkreldis.2018.04.012. Epub 2018 Apr 14. PMID: 29680309 No abstract available.

The Role of Ultrasound for the Personalized Botulinum Toxin Treatment of Cervical Dystonia. Fietzek UM, Nene D, Schramm A, Appel-Cresswell S, Košutzká Z, Walter U, Wissel J, Berweck S, Chouinard S, Bäumer T. *Toxins (Basel).* 2021 May 20;13(5):365. doi: 10.3390/toxins13050365. PMID: 34065541 Free PMC article. Review.

Levodopa changes the severity of freezing in Parkinson's disease. Fietzek UM, Zwosta J, Schroeteler FE, Ziegler K, Ceballos-Baumann AO. *Parkinsonism Relat Disord.* 2013 Oct;19(10):894-6. doi: 10.1016/j.parkreldis.2013.04.004. Epub 2013 May 1. PMID: 23642712

Spatial constraints evoke increased number of steps during turning in Parkinson's disease. Fietzek UM, Stuhlinger L, Plate A, Ceballos-Baumann A, Bötzel K. *Clin Neurophysiol.* 2017 Oct;128(10):1954-1960. doi: 10.1016/j.clinph.2017.07.399. Epub 2017 Jul 25. PMID: 28829978

Tremor analysis in two normal cohorts. Raethjen J, Lauk M, Köster B, Fietzek U, Friege L, Timmer J, Lücking CH, Deuschl G. *Clin Neurophysiol.* 2004 Sep;115(9):2151-6. doi: 10.1016/j.clinph.2004.04.006. PMID: 15294218

Voice Analysis to Differentiate the Dopaminergic Response in People With Parkinson's Disease. Jain A, Abedinpour K, Polat O, Çalışkan MM, Asaei A, Pfister FMJ, Fietzek UM, Cernak M. *Front Hum Neurosci.* 2021 May 31;15:667997. doi: 10.3389/fnhum.2021.667997. eCollection 2021. PMID: 34135742 Free PMC article.

A simplified ultrasonography-guided approach for neurotoxin injection into the obliquus capitis inferior muscle in spasmodic torticollis. Walter U, Dudesek A, Fietzek UM. *J Neural Transm (Vienna).* 2018 Jul;125(7):1037-1042. doi: 10.1007/s00702-018-1866-4. Epub 2018 Feb 27. PMID: 29488101 Clinical Trial.

Goal attainment after treatment of parkinsonian camptocormia with botulinum toxin. Fietzek UM, Schroeteler FE, Ceballos-Baumann AO. *Mov Disord.* 2009 Oct 15;24(13):2027-8. doi: 10.1002/mds.22676. PMID: 19645067 Clinical Trial. No abstract available.

Risk assessment and follow-up of valvular regurgitation in Parkinson patients treated with cabergoline. Fietzek UM, Riedl L, Ceballos-Baumann AO. *Parkinsonism Relat Disord.* 2012 Jun;18(5):654-6. doi: 10.1016/j.parkreldis.2011.08.020. Epub 2011 Sep 9. PMID: 21908226 No abstract available.

A novel wearable laser device to regulate stride length in Parkinson's disease. Zhao Y, Ramesberger S, Fietzek UM, D'Angelo LT, Luth TC. *Annu Int Conf IEEE Eng Med Biol Soc.* 2013;2013:5895-8. doi: 10.1109/EMBC.2013.6610893. PMID: 24111080

Early botulinum toxin treatment for spastic pes equinovarus--a randomized double-blind placebo-controlled study. Fietzek UM, Kossmehl P, Schelosky L, Ebersbach G, Wissel J. *Eur J Neurol.* 2014 Aug;21(8):1089-1095. doi: 10.1111/ene.12381. Epub 2014 Feb 12. PMID: 24754350 Clinical Trial.

Split-screen video demonstration of sonography-guided muscle identification and injection of botulinum toxin. Fietzek UM, Schroeder AS, Wissel J, Heinen F, Berweck S. *Mov Disord.* 2010 Oct 15;25(13):2225-8. doi: 10.1002/mds.23113. PMID: 20721881 Clinical Trial.

Long-term profile of lamotrigine in 119 children with epilepsy. Brodbeck V, Jansen V, Fietzek U, Muehe C, Weber G, Heinen F. *Eur J Paediatr Neurol.* 2006 May;10(3):135-41. doi: 10.1016/j.ejpn.2006.05.003. Epub 2006 Jun 8. PMID: 16759890

[Freezing of gait : phenomenology, pathophysiology, and therapeutic approaches]. Schroeteler F, Ziegler K, Fietzek UM, Ceballos-Baumann A. *Nervenarzt.* 2009 Jun;80(6):693-9. doi: 10.1007/s00115-009-2670-z. PMID: 19224189 German.

Sonography-guided injection of botulinum toxin in children with cerebral palsy. Berweck S, Schroeder AS, Fietzek UM, Heinen F. *Lancet.* 2004 Jan 17;363(9404):249-50. doi: 10.1016/S0140-6736(03)15351-2. PMID: 14738817.

Maturation of inhibitory and excitatory motor cortex pathways in children. Walther M, Berweck S, Schessl J, Linder-Lucht M, Fietzek UM, Glocker FX, Heinen F, Mall V. *Brain Dev.* 2009 Aug;31(7):562-7. doi: 10.1016/j.braindev.2009.02.007. Epub 2009 Mar 28. PMID: 19329268

Development and validation of a new screening questionnaire for dysphagia in early stages of Parkinson's disease. Simons JA, Fietzek UM, Waldmann A, Warnecke T, Schuster T, Ceballos-Baumann AO. *Parkinsonism Relat Disord.* 2014 Sep;20(9):992-8. doi: 10.1016/j.parkreldis.2014.06.008. Epub 2014 Jun 26. PMID: 25012695

Methylphenidate enhances both intracortical inhibition and facilitation in healthy adults. Kirschner J, Moll GH, Fietzek UM, Heinrich H, Mall V, Berweck S, Heinen F, Rothenberger A. *Pharmacopsychiatry.* 2003 Mar-Apr;36(2):79-82. doi: 10.1055/s-2003-39049. PMID: 12734766 Clinical Trial.

A new rating instrument to assess festination and freezing gait in Parkinsonian patients. Ziegler K, Schroeteler F, Ceballos-Baumann AO, Fietzek UM. *Mov Disord.* 2010 Jun 15;25(8):1012-8. doi: 10.1002/mds.22993. PMID: 20310009

Clinical impact of antibody formation to botulinum toxin A in children. Herrmann J, Geth K, Mall V, Bigalke H, Schulte Mönning J, Linder M, Kirschner J, Berweck S, Korinthenberg R, Heinen F, Fietzek UM. *Ann Neurol.* 2004 May;55(5):732-5. doi: 10.1002/ana.20098. PMID: 15122715

Botulinum toxin B increases mouth opening in patients with spastic trismus. Fietzek UM, Kossmehl P, Barthels A, Ebersbach G, Zynda B, Wissel J. *Eur J Neurol.* 2009 Dec;16(12):1299-304. doi: 10.1111/j.1468-1331.2009.02723.x. Epub 2009 Jun 29. PMID: 19566902 Clinical Trial.

Subacute peripheral neuropathy under duodopa therapy without cobalamin deficiency and despite supplementation. Lehnerer SM, Fietzek UM, Messner M, Ceballos-Baumann AO. *J Neural Transm (Vienna).* 2014 Oct;121(10):1269-72. doi: 10.1007/s00702-014-1204-4. Epub 2014 Apr 8. PMID: 24710647

Most effective stimulation site in subthalamic deep brain stimulation for Parkinson's disease. Herzog J, Fietzek U, Hamel W, Morsnowski A, Steigerwald F, Schrader B, Weinert D, Pfister G, Müller D, Mehdorn HM, Deuschl G, Volkmann J. *Mov Disord.* 2004 Sep;19(9):1050-4. doi: 10.1002/mds.20056. PMID: 15372594 Clinical Trial.

Canalicular magnetic stimulation lacks specificity to differentiate idiopathic facial palsy from borreliosis in children. Hufschmidt A, Müller-Felber W, Tziritidou M, Fietzek UM, Haberl C, Heinen F. Eur J Paediatr Neurol. 2008 Sep;12(5):366-70. doi: 10.1016/j.ejpn.2007.10.001. Epub 2008 Feb 21. PMID: 18206409

Upright posture in parkinsonian camptocormia using a high-frame walker with forearm support. Schroeteler FE, Fietzek UM, Ziegler K, Ceballos-Baumann AO. Mov Disord. 2011 Jul;26(8):1560-1. doi: 10.1002/mds.23585. Epub 2011 Apr 25. PMID: 21520281 No abstract available.

When it comes to botulinum toxin, children and adults are not the same: multimuscle option for children with cerebral palsy. Heinen F, Schroeder AS, Fietzek U, Berweck S. Mov Disord. 2006 Nov;21(11):2029-30. doi: 10.1002/mds.21097. PMID: 16972275 Clinical Trial. No abstract available.

Randomized cross-over trial to investigate the efficacy of a two-week physiotherapy programme with repetitive exercises of cueing to reduce the severity of freezing of gait in patients with Parkinson's disease. Fietzek UM, Schroeteler FE, Ziegler K, Zwosta J, Ceballos-Baumann AO. Clin Rehabil. 2014 Sep;28(9):902-11. doi: 10.1177/0269215514527299. Epub 2014 Apr 1. PMID: 24691217 Clinical Trial.

Is the rhythm of physiological tremor involved in cortico-cortical interactions? Raethjen J, Lindemann M, Morsnowski A, Dümpelmann M, Wenzelburger R, Stolze H, Fietzek U, Pfister G, Elger CE, Timmer J, Deuschl G. Mov Disord. 2004 Apr;19(4):458-65. doi: 10.1002/mds.10686. PMID: 15077245

Low level of intracortical inhibition in children shown by transcranial magnetic stimulation. Mall V, Berweck S, Fietzek UM, Glocker FX, Oberhuber U, Walther M, Schessl J, Schulte-Mönting J, Korinthenberg R, Heinen F. Neuropediatrics. 2004 Apr;35(2):120-5. doi: 10.1055/s-2004-815834. PMID: 15127311 Clinical Trial.

A botulinum toxin A treatment algorithm for de novo management of torticollis and laterocollis. Hefter H, Kupsch A, Müngersdorf M, Paus S, Stenner A, Jost W; Dysport Cervical Dystonia Study Group. BMJ Open. 2011 Jan 1;1(2):e000196. doi: 10.1136/bmjopen-2011-000196. PMID: 22021883.

Absence of transcallosal inhibition in adolescents with diplegic cerebral palsy. Heinen F, Kirschner J, Fietzek U, Glocker FX, Mall V, Korinthenberg R. Muscle Nerve. 1999 Feb;22(2):255-7. doi: 10.1002/(sici)1097-4598(199902)22:2<255::aid-mus14>3.0.co;2-7. PMID: 10024139

Muscle atrophy beyond the clinical effect after a single dose of OnabotulinumtoxinA injected in the procerus muscle: a study with magnetic resonance imaging. Koerte IK, Schroeder AS, Fietzek UM, Borggraefe I, Kerscher M, Berweck S, Reiser M, Ertl-Wagner B, Heinen F. Dermatol Surg. 2013 May;39(5):761-5. doi: 10.1111/dsu.12125. Epub 2013 Feb 4. PMID: 23379599

Deep brain stimulation of the subthalamic nucleus in Parkinson's disease: evaluation of active electrode contacts. Hamel W, Fietzek U, Morsnowski A, Schrader B, Herzog J, Weinert D, Pfister G, Müller D, Volkmann J, Deuschl G, Mehdorn HM. J Neurol Neurosurg Psychiatry. 2003 Aug;74(8):1036-46. doi: 10.1136/jnnp.74.8.1036. PMID: 12876231 Free PMC article.

Dyskinesias and grip control in Parkinson's disease are normalized by chronic stimulation of the subthalamic nucleus. Wenzelburger R, Zhang BR, Poepping M, Schrader B, Müller D, Kopper F, Fietzek U, Mehdorn HM, Deuschl G, Krack P. *Ann Neurol.* 2002 Aug;52(2):240-3. doi: 10.1002/ana.10254. PMID: 12210799

Fast corticospinal system and motor performance in children: conduction preceds skill. Heinen F, Fietzek UM, Berweck S, Hufschmidt A, Deuschl G, Korinthenberg R. *Pediatr Neurol.* 1998 Sep;19(3):217-21. doi: 10.1016/s0887-8994(98)00057-5. PMID: 9806140 Clinical Trial.

Development of the corticospinal system and hand motor function: central conduction times and motor performance tests. Fietzek UM, Heinen F, Berweck S, Maute S, Hufschmidt A, Schulte-Mönting J, Lücking CH, Korinthenberg R. *Dev Med Child Neurol.* 2000 Apr;42(4):220-7. doi: 10.1017/s0012162200000384. PMID: 10795559

Botulinum toxin B treatment in children with spastic movement disorders: a pilot study. Schwerin A, Berweck S, Fietzek UM, Heinen F. *Pediatr Neurol.* 2004 Aug;31(2):109-13. doi: 10.1016/j.pediatrneurol.2003.12.016. PMID: 15301829

Subthalamic nucleus stimulation in Parkinson's disease: correlation of active electrode contacts with intraoperative microrecordings. Hamel W, Fietzek U, Morsnowski A, Schrader B, Weinert D, Müller D, Deuschl G, Mehdorn HM. *Stereotact Funct Neurosurg.* 2003;80(1-4):37-42. doi: 10.1159/000075158. PMID: 14745207

Absence of transcallosal inhibition following focal magnetic stimulation in preschool children. Heinen F, Glocker FX, Fietzek U, Meyer BU, Lücking CH, Korinthenberg R. *Ann Neurol.* 1998 May;43(5):608-12. doi: 10.1002/ana.410430508. PMID: 9585354

Inhibitory conditioning stimulus in transcranial magnetic stimulation reduces the number of excited spinal motor neurons. Mall V, Glocker FX, Fietzek U, Heinen F, Berweck S, Korinthenberg R, Rösler KM. *Clin Neurophysiol.* 2001 Oct;112(10):1810-3. doi: 10.1016/s1388-2457(01)00638-1. PMID: 11595138

Transcranial magnetic stimulation in patients with Rett syndrome: preliminary results. Heinen F, Petersen H, Fietzek U, Mall V, Schulte-Mönting J, Korinthenberg R. *Eur Child Adolesc Psychiatry.* 1997;6 Suppl 1:61-3. PMID: 9452922