

## Publikationen (inkl. der bereits im Hauptdokument genannten)

|   | Autor(en)  | Jahr | Titel   | Quelle                                  |
|---|--|------|---|---|
| 1 | Schumacher J, <u>Eichler W</u> , Bauer O, Klotz KF                           | 1998 | Perioperative tissue thickness measurement by a new miniature ultrasound device   | J Clin Monit Comput <b>14</b> : 471-476 |
| 2 | <u>Eichler W</u> , Sedemund-Adib B, Schumacher J, Klotz KF                   | 1999 | Diagnosis, procedure and conservative therapy of a bronchial rupture after intubation with double lumen tube.   | AINS <b>34</b> : 66-70                  |
| 3 | Schumacher J, Engelke A, Wagner KF, <u>Eichler W</u> , Markert U, Klotz KF   | 1999 | Measurement of peripheral tissue thickness by ultrasound during the perioperative period.   | Br J Anaesth <b>82</b> : 641-643        |
| 4 | <u>Eichler W</u> , Eisenbeiß C, Schumacher J, Klaus S, Vogel R, Klotz KF     | 2000 | Changes of interstitial fluid volume in superficial tissues detected by a miniature ultrasound device.  | J Appl Physiol <b>89</b> : 359-363      |
| 5 | Eisenbeiß C, Welzel J, <u>Eichler W</u> , Klotz KF                           | 2001 | Influence of body water distribution on skin thickness: measurements using high frequency ultrasound  | Br J Dermatol <b>144</b> : 947-951      |
| 6 | Roth-Isigkeit A, Dibbelt L, <u>Eichler W</u> , Schumacher J, Schmucker P     | 2001 | Blood levels of atrial natriuretic peptide, endothelin, cortisol and ACTH in patients undergoing coronary artery bypass grafting surgery with cardiopulmonary bypass. | J Endocrinol Invest <b>24</b> : 777-785 |
| 7 | Schumacher J, Russlies M, <u>Eichler W</u> , Großherr M, Klotz KF            | 2001 | Comparison of three different methods of sedation for spinal anesthesia in sheep.   | Lab Animal (NY) <b>30</b> : 40-44       |
| 8 | <u>Eichler W</u> , Schumacher J, Roth-Isigkeit A, Braun J, Kuppe H, Klotz KF | 2002 | Automated evaluation of functional residual capacity by oxygen washout.   | J Clin Monit Comput <b>17</b> : 195-201 |

|      |   |      |   |   |
|------|---|------|---|---|
| 9    | Klaus S, <u>Eichler W</u> , Heringlake M, Schmucker P, Bahlmann L   | 2002 | Assessment of fluid balance by measurement of skin tissue thickness during clinical anaesthesia.  | Clin Physiol & Func Im <b>22</b> : 197-201  |
| 10   | Bahlmann L, Markert U, Heringlake M, <u>Eichler W</u> , Schmucker P, Klaus S                                    |      | Mikrodialyse als Verfahren zur Beurteilung einer intestinalen Dysoxie – ein tierexperimenteller Ansatz.                                       | Biomed Tech <b>48</b> : 27-30               |
| 11   | Bartels C, Erasmi A, Sayk F, Eggers R, Dendorfer A, Feyerabend T, <u>Eichler W</u> , Sievers HH                 | 2003 | Prophylactic gamma radiation of unaffected vein grafts failed to prevent vein graft disease in a chronic hypercholesterolemic porcine model.  | Eur J Cardiothorac Surg <b>24</b> : 92-97   |
| 12   | <u>Eichler W</u> , Bechtel JF, Schumacher J, Wermelt JA, Klotz KF, Bartels C                                    | 2003 | A rise of MMP-2 and MMP-9 in bronchoalveolar lavage fluid is associated with acute lung injury after cardiopulmonary bypass in a swine model. | Perfusion <b>18</b> :107-113                |
| 13   | Hartog CM, Wermelt JA, Sommerfeld CO, <u>Eichler W</u> , Dalhoff K and Braun J                                  | 2003 | Pulmonary matrix metalloproteinase excess in hospital acquired pneumonia – relation to clinical severity and causative organism.              | Crit Care Med <b>167</b> : 593-598          |
| 14   | Klaus S, Staubach KH, <u>Eichler W</u> , Gliemroth J, Heringlake M, Schmucker P, Bahlmann L                     | 2003 | Clinical biochemical tissue monitoring during ischaemia and reperfusion in major vascular surgery.  | Ann Clin Biochem <b>40</b> : 289-291        |
| 15   | <u>Eichler W</u> , Bechtel JFM, Klaus S, Heringlake M, Hernandez M, Toerber K, Klotz KF, Bartels C              | 2004 | Na+/H+ exchange inhibitor cariporide: Effects on respiratory dysfunction after cardiopulmonary bypass.  | Perfusion <b>19</b> (1):33-40               |
| 16   | <u>Eichler W</u> , Schumacher J, Ohgke H, Klotz KF.   | 2004 | Reuse of a set for total intravenous anaesthesia (2004) Safe against bacterial contamination?   | Eur J Anaesthesiol <b>21</b> (6):501-503    |
| 17   | Heringlake M, Heide C, Bahlmann L, <u>Eichler W</u> , Pagel H, Schmucker P, Wergeland R, Armbruster FP, Klaus S | 2004 | The effects of tilting and volume-loading on plasma levels and urinary excretion of relaxin, NTproANP, and NTproBNP in male volunteers.       | J Appl Physiol [online Vorveröffentlichung] |
| * 18 | <u>Eichler W</u> , Frank I, Nehring M, Welsch J, Klotz KF   | 2004 | Hypergravity and dehydration-induced shifts of interstitial fluid in the skin monitored by ultrasound.  | Aviat Space Environ Med <b>75</b> :760-763  |

|    |   |      |  |  |
|----|---|------|--|--|
| 19 | Schumacher J, <u>Eichler W</u> , Heringlake M, Siewers M, Siewers HH, Klotz KF                      | 2004 | Intercompartmental fluid volume shift during cardiopulmonary bypass measured by A-mode ultrasonography.                      | Perfusion <b>19</b> (5): 277-281.              |
| 20 | Frank A, Grefer J, Hagelberg S, <u>Eichler W</u>  | 2005 | The role of simulation in training and research.   | Biomed Tech (Berlin) <b>50</b> : 685-686       |
| 21 | Heinze H, Schumacher J, Grossherr M, <u>Eichler W</u>   | 2005 | Functional residual capacity assessment by oxygen washout during tracheobronchial suctioning.                                | Biomed Tech (Berlin) <b>50</b> :309-310        |
| 22 | Bechtel JFM, <u>Eichler W</u> , Törber K, Weidtmann B, Hernandez M, Klotz KF, Sievers HH, Bartels C | 2005 | The Na+/K+ exchange inhibitor cariporide is washed out from the myocardium by crystalloid cardioplegia.                      | Thorac Cardiovasc Surg <b>54</b> :317-327      |
| 23 | Schumacher J, Puchakayala MR, Binkowski K, <u>Eichler W</u> , Dendorfer A, Klotz KF.                | 2006 | Effects of candesartan and enalaprilat on the organ-specific microvascular permeability during haemorrhagic shock in rats.   | Br J Anaesth <b>96</b> :437-443                |
| 24 | Bechtel JFM, <u>Eichler W</u> , Großherr M, Sievers HH, Bartels C                                   | 2007 | Lung temperature during cardiopulmonary bypass and the effect of hypothermic ventilation.                                    | Appl Cardiopulm Pathophysiol <b>11</b> : 11-16 |
| 25 | Heinze H, Schaaf B, Grefer J, Klotz KF, <u>Eichler W</u> .  | 2007 | The accuracy of a simple automated method for functional residual capacity assessment during spontaneous breathing           | Anesth Analg <b>104</b> :589-604               |
| 26 | Heinze H, Rosemann, C, Weber C, Heinrichs G, Bahlmann L, Misfeld M, Heringlake M, <u>Eichler W</u>  | 2007 | A single prophylactic dose of pentoxifylline reduces high dependency unit time in cardiac surgery.                           | Eur J Cardiothoracic Surg <b>32</b> :83-89     |
| 27 | Heringlake M, Heinrichs G, Weber CF, Rosemann C, Bahlmann L, <u>Eichler W</u> , Misfeld M, Heinze H | 2007 | The anti-inflammatory and organ-protective effects of pentoxifylline during cardiac surgery.                                 | Appl Cardiopulm Pathophysiol <b>11</b> :17-23  |
| 28 | Schumacher J, Runte J, Brinker A, Prior K, Heringlake M, <u>Eichler W</u>                           | 2008 | Respiratory protection during high fidelity simulated resuscitation of casualties contaminated with chemical warfare agents. | Anaesthesia <b>12</b> (Epub ahead)             |

|    |  |      |   |   |
|----|--|------|---|---|
| 29 | Heinze H, Sedemund-Adib A, Heringlake M, Gosch UW, Gehring H, <u>Eichler W</u>                 | 2009 | The impact of different step changes of FiO <sub>2</sub> on functional residual capacity measurements using the oxygen washout technique in ventilated patients | Anesth Analg <b>106</b> : 1491-1494                 |
| 30 | Heinze H, Sedemund-Adib B, Gosch U, <u>Eichler W</u>   | 2008 | Monitoring alveolar derecruitment at bedside using functional residual capacity measurements in cardiac surgery patients.                                       | Appl Cardiopulm Pathophysiol <b>12</b> : 27-32      |
| 31 | Heinze H, Sedemund-Adib B, Heringlake M, Gosch UW, <u>Eichler W</u>                            | 2008 | Functional residual capacity changes after different endotracheal suctioning methods.   | Anesth Analg <b>104</b> : 141-144                   |
| 32 | Gameiro M, <u>Eichler W</u> , Schwandner O, Bouchard R, Schön J, Schmucker P, Bruch HP Hüppe M | 2008 | Patient mood and neuropsychological outcome after laparoscopic and conventional colectomy.  | Surg Innov <b>15</b> : 171-178                      |
| 33 | Grossherr M, Bechtel JFM, Heinze H, Klotz K-F, Sievers HH, <u>Eichler W</u>                    | 2008 | Effects of pulmonary artery perfusion on gas exchange and alveolar matrix metalloproteinases after cardiopulmonary bypass in a swine model.                     | Appl Cardiopulm Pathophysiol <b>13</b> : 123-129    |
| 34 | Heinze H, Sedemund-A, Heringlake M, Meier T, <u>Eichler W</u>                                  | 2009 | Changes of functional residual capacity during weaning from mechanical ventilation – a pilot study.   | Anesth Analg <b>108</b> : 911-915                   |
| 35 | Iblher P, Iblher H, <u>Eichler W</u>   | 2009 | Neue Wege in der Notfallausbildung von Medizinstudierenden – Evaluation eines multizentrischen, studentisch geleiteten Kurskonzepts.                            | Anaesthetist <b>58</b> : 362-369                    |
| 36 | Heinze H, <u>Eichler W</u>   | 2009 | Measurements of functional residual capacity during intensive care treatment – the technical aspects and its possible clinical applications.                    | Acta Anaesth Scand <b>53</b> : 1121-1130            |
| 37 | Heinze H, Sedemund-Adib, Heringlake M, Meier T, <u>Eichler W</u>                               | 2010 | Relationship between functional residual capacity, respiratory compliance, and oxygenation in patients ventilated after cardiac surgery.                        | Respir Care <b>55</b> : 589-594                     |
| 38 | Bechtel JF, Mühlenbein S, <u>Eichler W</u> , Marx M, Sievers HH                                | 2010 | Leukocyte depletion during cardiopulmonary bypass in routine adult cardiac surgery.   | Interact Cardiovasc Thorac Surg <b>12</b> : 207-212 |

|    |  |      |   |  |
|----|--|------|---|--|
| 39 | Heinze H, <u>Eichler W</u> , Karsten J, Sedemund-Adib B, Heringlake M, Meier T | 2011 | Functional residual capacity-guided alveolar recruitment strategy after endotracheal suctioning in cardiac surgery patients.          | Crit Care Med <b>17</b><br>(Epub ahead of print) |
| 40 | Iblher P, Mahler, H Heinze H, Hüppe M, Klotz KF, <u>Eichler W</u>              | 2011 | Does music harm patients after cardiac surgery? A randomized controlled study.  | Appl Cardiopulm Pathophysiol <b>15</b> : 14-23   |
| 41 | Iblher P, Paarmann H, Stuckert K, Werner A, Klotz KF, <u>Eichler W</u>         | 2013 | Interstitial fluid shifts in simulated long-haul flights monitored by a miniature ultrasound device.                                  | Aviat Space Environ Med <b>84</b> : 486-490      |
| 42 | Breuer G, Ahlers O, Beckers S, Breckwoldt J, <u>Eichler W</u> et al            | 2015 | Nationaler Lernzielkatalog „Anästhesiologie“ mit fachspezifischen Aspekten der Bereiche Intensivmedizin, Notfall- und Schmerzmedizin. | Anästh Intensivmed <b>56</b> : 546-558           |

\* 18

Ab Nr. 18 = Habilitationen